

Quick Relief....

150
75
225

Phenocol

For all forms of
Localized Inflammation

Phenocol.

Composition.

PHENOCOL is composed of chemically pure Phenol, Menthol, Thymol and Eucalyptol combined with Anhydrous Glycerin.

Action and Uses.

PHENOCOL, when beaten with yolk of egg, forms an antiseptic dressing or poultice possessing pain relieving and healing properties. It absorbs the exudate and liquor sanguinis present in inflammatory conditions, thus relieving congestion and permitting free circulation. It is hygroscopic and draws to itself the poisonous matter from concretions.

These properties render it particularly valuable as a local application in a wide range of cases, and especially for the relief of pain caused by congestion and inflammation.

Application.

Beat the yolk of an egg with a tablespoonful of PHENOCOL, spread on muslin to the depth of about an eighth of an inch, bind it on the affected part or over the seat of inflammation and cover with cotton or heavy cloth. When a considerable surface is to be covered, as in applications to the chest or back, two or more egg yolks should be used with a proportionate amount of PHENOCOL. The application may be renewed in from twelve to eighteen hours, according to the urgency of the case. In all cases the skin should be first thoroughly cleansed with warm water and soap.

In some cases, particularly in treating boils, direct applications of undiluted or slightly diluted PHENOCOL, in the form of a spray, has proved of much benefit. When it is not practical to use it in this way make a compress, by saturating absorbant cotton with undiluted PHENOCOL and bind on the affected parts.

Pitman-Myers Company,

Indianapolis, Indiana.

**Pneumonitis,
Pleuritis,
Bronchitis,
Erysipelas,
Tonsillitis,
Inflamed
Breasts,
Sprains,
Rheumatic
Pains,
Boils, Etc.**

Phenocol.



Is a General Antiseptic.

PHENOCOL combines, with the well-known antiseptic properties of Phenol, the modern Antizymotics, Menthol, Thymol and Eucalyptol. It is soluble in water in all proportions, making it a most convenient and desirable means of using these valuable drugs for general antiseptis.

General Directions.

FOR WASHING OUT SORES, ULCERS, ETC.—Use one part of PHENOCOL to eight to ten parts of water.

AS A GARGLE OR SPRAY in tonsillitis and other throat affections, use one part of PHENOCOL to twelve to fifteen parts of water.